

300 E. Mineral Ave., Suite 10 Littleton, CO 80122-2631 303/781-8211 303/781-1167 Fax

September 26, 2005

Fluid Minerals Group Bureau of Land Management Vernal Field Office 170 South 500 East Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc. KC 9-33E, 1,940' FSL & 850' FEL, NE/4 SE/4, Section 33, T10S, R19E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and two copies of the *Application for Permit to Drill (APD)* for the above referenced well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton

Agent for Dominion

cc: Sheri Wysong, Vernal BLM
Diana Whitney, Division of Oil, Gas and Mining
Carla Christian, Dominion

Hamilton

RECEIVED SEP 2 9 2005

DIV. OF OIL, GAS & MINING

FILE COPY

CONFIDENTIAL

FORM APPROVED Form 3160-3 OMB No. 1004-0137 Expires March 31, 2007 (February 2005) UNITED STATES 5. Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-49522 **BUREAU OF LAND MANAGEMENT** 6. If Indian, Allotee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER 7 If Unit or CA Agreement, Name and No. DRILL REENTER la. Type of work: 8. Lease Name and Well No. KC 9-33E ✓ Single Zone Multiple Zone Oil Well Gas Well lb. Type of Well: 9. API Well No. Name of Operator Dominion Exploration & Production, Inc. 43-647-37196 3a. Address 14000 Quail Springs Parkway, Suite 600 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory Oklahoma City, OK 73134 **Natural Buttes** 405-749-5263 11. Sec., T. R. M. or Blk.and Survey or Area 4. Location of Well (Report location clearly and in accordance with any State requirements.*) 39, 901519 1,940' FSL & 850' FEL, NE/4 SE/4, 604304 X At proposed prod. zone 1,940' FSL & 850' FEL, NE/4 SE/4, 44173237 109.779866 Section 33, T10S, R19E, SLB&M 12. County or Parish 13. State 14. Distance in miles and direction from nearest town or post office* Uintah TIT 14.00 miles southwest of Ouray, Utah 17. Spacing Unit dedicated to this well 16. No. of acres in lease 15. Distance from proposed location to near property or lease line, ft.
(Also to nearest drig, unit line, if any)

850 560 acres 40 acres 20. BLM/BIA Bond No. on file 18. Distance from proposed location* to nearest well, drilling, completed, 19. Proposed Depth 76S 63050 0330 9,500' 2,200' applied for, on this lease, ft. 23. Estimated duration 22. Approximate date work will start* 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 14 days 5,334' GR 02/15/2006 24. Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas Order No.1, must be attached to this form: 4. Bond to cover the operations unless covered by an existing bond on file (see 1. Well plat certified by a registered surveyor. Item 20 above). 2. A Drilling Plan. 5. Operator certification 3. A Surface Use Plan (if the location is on National Forest System Lands, the Such other site specific information and/or plans as may be required by the SUPO must be filed with the appropriate Forest Service Office). Date Name (Printed/Typed) Cianotare

Don Hamilton	Don Hamilton	09/26/2005
Title Agent for Dominion		
Approved by (Sighanre)	Name (Printed/Typed) BRADLEY G. HILL	Date 09-29-05
Title	ENVIRONMENTAL SCIENTIST III	


Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on page 2)

Federal Approval of this Action is Necessary



T10S, R19E, S.L.B.&M.




DOMINION EXPLR. & PROD., INC.

Well location, KINGS CANYON #9-33E, located as shown in the NE 1/4 SE 1/4 of Section 33, T10S, R19E, S.L.B.&M. Uintah County, Utah.

BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.

BASIS OF BEARINGS



SCALE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELLET

REGISTERED LAND SURVEYOR REGISTRATION NO. 16131

Revised: 06-03-05 D.R.B.

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017

SCALE 1" = 1000'		DRAWN: -3-05
PARTY G.S. D. L. K	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE DOMINION FXPI R. &	PROD INC

DRILLING PLAN

APPROVAL OF OPERATIONS

Attachment for Permit to Drill

Name of Operator:

Dominion Exploration & Production

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

Kings Canyon 9-33E

1940' FSL & 850' FEL Section 33-10S-19E

Uintah County, UT

1. GEOLOGIC SURFACE FORMATION

Uintah

2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Wasatch Tongue	3,800'
Green River Tongue	4,150'
Wasatch	4,280'
Chapita Wells	5,200
Uteland Buttes	6,230
Mesaverde	7,130'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER. OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	Type
Wasatch Tongue	3,800	Oil
Green River Tongue	4,150'	Oil
Wasatch	4,280'	Gas
Chapita Wells	5,200'	Gas
Uteland Buttes	6,230'	Gas
Mesaverde	7,130'	Gas

4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

Type	<u>Size</u>	Weight	Grade	Conn.	<u>Top</u>	<u>Bottom</u>	<u>Hole</u>
Surface	8-5/8"	32.0 ppf	J-55	STC	0,	2,000	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0,	9,500	7-7/8"

Note: The drilled depth of the surface hole and the setting depth of the surface casing may vary from 1,700' to 2,000'. Should a lost circulation zone be encountered while drilling, casing will be set approximately 300' below the lost circulation zone. If no lost circulation zone is encountered, casing to be set at 2,000'±.

DRILLING PLAN

APPROVAL OF OPERATIONS

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

<u>Surface hole</u>: No BOPE will be utilized. Air foam mist, rotating head and diverter system will be utilized. <u>Production hole</u>: Prior to drilling out the surface casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from intermediate casing to total depth. The blind rams will be tested once per day from intermediate casing to total depth if operations permit.

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling below the intermediate casing shoe. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

6. MUD SYSTEMS

- An air or an air/mist system may be used to drill to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.

<u>Depths</u>	Mud Weight (ppg)	Mud System
0' - 2,000'	8.4	Air foam mist, rotating head and diverter
2,000' - 9,500'	8.6	Fresh water/2% KCL/KCL mud system

7. BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a contant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 100' from the wellhead.

8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

9. TESTING. LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to surface casing.
- The gamma ray will be left on to record from total depth to surface casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to surface casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- · No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H2S gas.

DRILLING PLAN

APPROVAL OF OPERATIONS

11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

12. <u>CEMENT SYSTEMS</u>

a. Surface Cement:

- Drill 12-1/4" hole to 2,000'±, run and cement 8-5/8" to surface (depth to vary based on depth of lost circulation zone).
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
- Cement the casing annulus to surface. Top out jobs to be performed if needed. Depending to depth of top of
 cement in the annulus, a 1" tubing string may or may not be utilized.

					Hole	Cement	
Type	Sacks	<u>Interval</u>	Density	Yield	<u>Volume</u>	<u>Volume</u>	Excess
Lead	252	0'-1,500'	11.0 ppg	3.82 CFS	619 CF	835 CF	35%
Tail	219	1,500'-2,000'	15.6 ppg	1.18 CFS	220 CF	297 CF	35%
Top Out	100	0'-200'	15.6 ppg	1.18 CFS	95 CF	118 CF	24% (if required)

Lead Mix: Premium Plus V blend. Blend includes Class "G" cement, gel, salt, gilsonite.

Slurry yield: 3.82 cf/sack Slurry weight: 11.00 #/gal.

Water requirement: 22.95 gal/sack

Tail Mix: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

Top Out: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.

Slurry yield: 1.18 cf/sack Slurry weight: 15.60 #/gal.

Water requirement: 5.2 gal/sack

c. Production Casing Cement:

- Drill 7-7/8" hole to 9,500'±, run and cement 5 1/2".
- Cement interface is at 4,000', which is typically 500'-1,000' above shallowest pay.
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H20 spacer.
- Displace with 3% KCL.

					<u>Hole</u>	Cement	
<u>Type</u>	Sacks	Interval	Density	Yield Yield	Volume	<u>Volume</u>	Excess
Lead	160	3,700'-4,700'	11.5 ppg	3.12 CFS	175 CF	350 CF	100%
Tail	435	4,700'-9,500'	13.0 ppg	1.75 CFS	473 CF	946 CF	100%

Note: A caliper log will be ran to determine cement volume requirements.

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.

Slurry yield: 3.12 cf/sack Slurry weight: 11.60 #/gal.

Water requirement: 17.71 gal/sack

Compressives (a) 130°F: 157 psi after 24 hours

Tail Mix: Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322,

& HR-5.
Slurry yield: 1.75 cf/sack Slurry weight: 13.00 #/gal.

Water requirement: 9.09 gal/sack

Compressives (a) 165°F: 905 psi after 24 hours

13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date:

February 15, 2006

Duration:

14 Days

SURFACE USE PLAN

CONDITIONS OF APPROVAL

Attachment for Permit to Drill

Name of Operator:

Dominion Exploration & Production

Address:

14000 Quail Springs Parkway, Suite 600

Oklahoma City, OK 73134

Well Location:

Kings Canyon 9-33E 1940' FSL & 850' FEL Section 33-10S-19E

Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The federal onsite inspection for the referenced well was conducted on Tuesday, September 6, 2005 at approximately 11:00 pm. In attendance at the onsite inspection were the following individuals:

Ken Secrest

Foreman

Dominion E & P, Inc.

Karl Wright

Nat. Res. Prot. Spec.

Bureau of Land Management - Vernal

Amy Torres

Biologist

Brandon Bowthorpe

Bureau of Land Management - Vernal

Surveyor

Uintah Engineering and Land Surveying

Jason Robins

Surveyor Helper

Uintah Engineering and Land Surveying

Bill McClure

Foreman

LaRose Construction

1. **Existing Roads:**

- a. The proposed well site is located approximately 14.00 miles southwest of Ouray, UT.
- Directions to the proposed well site have been attached at the end of Exhibit B. b.
- The use of roads under State and County Road Department maintenance are necessary to c. access the Kings Canyon area. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate e. with road and weather conditions.
- f. Since no improvements are anticipated to the State, County, Tribal or BLM access roads no topsoil striping will occur.
- An off-lease federal Right-of-Way is needed for the access road and utility corridor since g. both are located outside of the federal lease area and existing unit boundaries. This application has previously been submitted directly to the Vernal Realty office.

2. Planned Access Roads:

- a. From the proposed KC 1-32E access road an access is proposed trending northeast approximately 1.0 miles to the proposed well site. The access consists of entirely new disturbance and crosses no significant drainages. A road design plan is not anticipated at this time.
- b. The proposed access road will consist of a 24' travel surface within a 30' disturbed area.
- c. BLM approval to construct and utilize the proposed access road is requested with this application.
- d. A maximum grade of 10% will be maintained throughout the project with minor cuts and fills required to access the well.
- e. No turnouts are proposed since the access road is only 1.0 miles long and adequate site distance exists in all directions.
- f. No culverts or low water crossings are anticipated. Adequate drainage structures will be incorporated into the road.
- g. No surfacing material will come from federal or Indian lands.
- h. No gates or cattle guards are anticipated at this time.
- i. Surface disturbance and vehicular travel will be limited to the approved location access road.
- j. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: <u>Surface Operating Standards</u> for Oil and Gas Exploration and <u>Development</u>, (1989).
- k. The operator will be responsible for all maintenance of the access road including drainage structures.

3. <u>Location of Existing Wells:</u>

a. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

4. Location of Production Facilities:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162. 7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.

- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.
- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the west side of the well site and traverse 30,700' southwest then north to the existing Dominion pipeline corridor that will also service the KC 1-32E.
- i. The line will be buried unless conditions exist during construction require the pipeline to be surface laid.
- j. The new gas pipeline will be a 8" or less steel line within a 50' wide utility corridor. The use of the proposed well site and access roads will facilitate the staging of the pipeline construction. A new pipeline length of approximately 30,700' is associated with this well.
- k. Dominion intends on installing the pipeline below the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

5. Location and Type of Water Supply:

a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- No construction materials will be removed from Ute Tribal or BLM lands.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.

- c. The reserve pit will be located outboard of the location and along the south side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.
- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- i. Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.
- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. Produced water from the production well will be disposed of at the RBU 13-11F or RBU 16-19F disposal wells in accordance with Onshore Order #7.
- Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed
 of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

8. Ancillary Facilities:

a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

9. Well Site Layout: (See Exhibit B)

a. The well will be properly identified in accordance with 43 CFR 3162.6.

- b. Access to the well pad will be from the southwest.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with responsible company representative, contractors, and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters form entering the well site area.
- i. The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.
- k. Pits will remain fenced until site cleanup.
- The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

10. Plans for Restoration of the Surface:

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On and BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- c. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours.
- d. The cut and fill slopes and all other disturbed areas not needed for the production operation will be top soiled and re-vegetated. The stockpiled topsoil will be evenly distributed over the disturbed area.
- e. Prior to reseeding the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The

BLM recommended seed mix will be detailed within their approval documents.

11. Surface and Mineral Ownership:

- Surface Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.
- b. Mineral Ownership Federal under the management of the Bureau of Land Management Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

12. Other Information:

- a. AIA Archaeological has conducted a Class III archeological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Alden Hamblin has conducted a paleontological survey. A copy of the report has been submitted under separate cover to the appropriate agencies by Alden Hamblin.
- c. Our understanding of the results of the onsite inspection are:
 - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
 - b. A federal SF-299 ROW application has previously been submitted for the off-lease access road and pipeline corridor and is pending approval at this time.
 - c. Squat tanks will be utilized since the well is within ½ mile of a known eagle nest

13. Operator's Representative and Certification

Title	Name	Office Phone
Company Representative (Roosevelt)	Ken Secrest	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

Certification:


I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.


Signature: Don Hamilton Date: 9-26-05

DOMINION EXPLR. & PROD., INC. KINGS CANYON #9-33E SECTION 33, T10S, R19E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN RIGHT AND PROCEED IN A NORTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 12.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING TWO-TRACK ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN NORTHERLY DIRECTION APPROXIMATELY 4.8 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE NORTHEAST; FOLLOW ROAD FLAGS IN A NORTHEASTERLY DIRECTION APPROXIMATELY 1.0 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 62.7 MILES.





DOMINION EXPLR. & PROD., INC.

KINGS CANYON #9-33E LOCATED IN UINTAH COUNTY, UTAH SECTION 33, 10S, R19E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: EASTERLY





Uintah Engineering & Land Surveying 85 South 200 East Vernal, Utah 84078 435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


06|01 TAKEN BY: G.S. DRAWN BY: C.P. REVISED: 00-00-00


РНОТО
















BOP STACK




CHOKE MANIFOLD





APD RECEIVED: 09/29/2005	API NO. ASSIGNED: 43-047-37196
WELL NAME: KC 9-33E OPERATOR: DOMINION EXPL & PROD (N1095) CONTACT: DON HAMILTON	PHONE NUMBER: 435-650-1886
PROPOSED LOCATION: NESE 33 100S 190E SURFACE: 1940 FSL 0850 FEL BOTTOM: 1940 FSL 0850 FEL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal LEASE NUMBER: UTU-49522 SURFACE OWNER: 1 - Federal PROPOSED FORMATION: MVRD COALBED METHANE WELL? NO	INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface LATITUDE: 39.90152 LONGITUDE: -109.7799
Plat ✓ Plat ✓ Bond: Fed[1] Ind[] Sta[] Fee[] (No. 76S630500330) Potash (Y/N) ✓ Oil Shale 190-5 (B) or 190-3 or 190-13 ✓ Water Permit (No. 43-10447) N RDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N) NA Intent to Commingle (Y/N)	LOCATION AND SITING:
STIPULATIONS: 1- Leder Opprover 2- Sparing Stip	





State of Utah

Department of Natural Resources

MICHAEL R. STYLER Executive Director

Division of Oil, Gas & Mining

JOHN R. BAZA Division Director JON M. HUNTSMAN, JR. Governor

GARY R. HERBERT Lieutenant Governor

September 29, 2005

Dominion Exploration & Production, Inc. 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134

Re: Kings Canyon 9-33E Well, 1940' FSL, 850' FEL, NE SE, Sec. 33, T. 10 South, R. 19 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-37196.

Sincerely,

Gil Hunt

Associate Director

pab Enclosures

cc: Uintah County Assessor

Bureau of Land Management, Vernal District Office

Operator:	Dominion Exploration & Production, Inc.				
Well Name & Number	ber Kings Canyon 9-33E				
API Number: 43-047-37196					
Lease:	UTU-49522				
Location: NE SE	Sec. 33	T. 10 South	R 19 Fast		

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.
- 5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

Form 3160-5 (August, 1999)

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135

	71417	140.	1004	015
Expi	res: 1	Nove	mber	30

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an

6. If Indian, Allottee or Tribe Name

L	ΙŢΙ	U	-4	9	5	2	2


5. Lease Serial No.

1. Type of Well 2. Name of Operator DOMINION EXPLORATION & PRODUCTION, INC. 3a. Address Suite 600 44000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Value Value	abandoned well. Use	e Form 3160-3 (APD) for	r such proposals.			
2. Name of Operator DOMINION EXPLORATION & PRODUCTION, INC. 3a. Address Suite 600 14000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Reciamation Water Shut-Off Well Integrity Well Casing Repair New Construction Recomplete XI Other	1. Type of Well	Maria Ma	# # # #		7. If Unit or C	A/Agreement, Name and/or No.
DOMINION EXPLORATION & PRODUCTION, INC. 3a. Address Suite 600 14000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize		Other	INFILL WI			
DOMINION EXPLORATION & PRODUCTION, INC. 3a. Address Suite 600 14000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Natural Buttes 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 11. County or Parish, State Uintah Co., Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Acidize Production (Start/Resume) Water Shut-Off Reclamation Well Integrity Other	2. Name of Operator					
14000 QUAIL SPGS PKWY, OKLA CITY, OK 73134 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 11. County or Parish, State Uintah Co., Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	DOMINION EXPLORATION & PR	RODUCTION, INC.				
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 11. County or Parish, State Uintah Co., Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	ounce of		3b. Phone No. (includ	e area code)		
Natural Buttes 1940' FSL & 850' FEL, NESE, Sec. 33-10S-19E 11. County or Parish, State Uintah Co., Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	14000 QUAIL SPGS PKWY, OKL	A CITY, OK 73134	405-749-1300	<u> </u>	10. Field and	Pool, or Exploratory Area
Uintah Co., Utah 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	4. Location of Well (Footage, Sec., T., R., M.,	or Survey Description)			Natu	ral Buttes
12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION Acidize	1940' FSL & 850' FEL, N	ESE, Sec. 33-10S-19E			11. County or	Parish, State
TYPE OF SUBMISSION TYPE OF ACTION Acidize Deepen Production (Start/Resume) Water Shut-Off Altering Casing Fracture Treat Recomplete Subsequent Report New Construction Recomplete			·	w.	Uinta	h Co., Utah
X Notice of Intent Acidize Deepen Production (Start/Resume) Water Shut-Off Altering Casing Fracture Treat Reclamation Well Integrity Casing Repair New Construction Recomplete X Other	12. CHECK APPROPRIATE	BOX(ES) TO INDICATE	E NATURE OF NO	OTICE, REPO	ORT OR OT	HER DATA
Altering Casing Fracture Treat Reclamation Well Integrity Subsequent Report New Construction Recomplete X Other	TYPE OF SUBMISSION		TYPE	OF ACTION	Ī	
Subsequent Report Casing Repair New Construction Recomplete	X Notice of Intent	Acidize	Deepen	Production (S	tart/Resume)	Water Shut-Off
Subsequent report	_	Altering Casing	Fracture Treat	Reclamation		Well Integrity
Change Plans Plug and Abandon Temporarily Abandon APD Extension	Subsequent Report	Casing Repair	New Construction	Recomplete		Other
	_	Change Plans	Plug and Abandon	Temporarily A	.bandon	APD Extension
Final Abandonment Notice Convert to Injection Plug Back Water Disposal	Final Abandonment Notice	Convert to Injection	Plug Back	Water Dispos	al	
Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.) The State APD for this well expires September 29, 2006. Dominion is hereby requesting one year extension.	If the proposal is to deepen directionally Attach the Bond under which the work following completion of the involved op- testing has been completed. Final At- determined that the site is ready for final	y or recomplete horizontally, give will be performed or provide the erations. If the operation results pandonment Notices shall be filed I inspection.)	e subsurface locations a e Bond No. on file with E in a multiple completion d only after all requirem	and measured and BLM/BIA. Requi or recompletion ents, including rec	t true vertical di red subsequent in a new interva lamation, have	epths of all pertinent markers and zones. treports shall be filed within 30 days al, a Form 3160-4 shall be filed once been completed and the operator has

Approved by the Utah Division of Oil, Gas and Mining

Date: By: 14. I hereby certify that the foregoing is true and correct Sr. Regulatory Specialist Title Carla Christian Signature Date 28-Aug-06 THIS SPACE HOR WINDERAL OR SUADE ORE CHAISE Date Approved by Title Conditions of approval, if any, are attached. Approval of this notice does not warrant or Office certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



RECEIVED AUG 3 1 2006

Application for Permit to Drill Request for Permit Extension Validation

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-37196 Well Name: Kings Canyon 9-33E Location: Section 33-10S-19E, 1940' FSL & 850' FEL Company Permit Issued to: Dominion Exploration & Production, Inc. Date Original Permit Issued: 9/29/2005						
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.						
Following is a checklist of some items related to the application, which should be verified.						
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes□No□						
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes⊟ No☑						
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑						
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No☑						
Has the approved source of water for drilling changed? Yes□No☑						
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑						
Is bonding still in place, which covers this proposed well? Yes☑No□						
Signature 8/28/2006 Date						
Title: Sr. Regulatory Specialist						
Representing: Dominion Exploration & Production, Inc.						

RECEIVED AUG 3 1 2006

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522					
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:					
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME: Undesignated					
1. TYPE OF WELL OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: KC 9-33E					
2. NAME OF OPERATOR: XTO Energy	9. API NUMBER: 4304737196					
3. ADDRESS OF OPERATOR: P.O. Box 1360	10. FIELD AND POOL, OR WILDCAT: Undesignated					
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,940' FSL & 850' FEL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESE 33 10S 19E S	COUNTY: Uintah					
CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	UTAH					
TYPE OF SUBMISSION TYPE OF ACTION	OKT, OK OTHER BATA					
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: CASING REPAIR CHANGE TO PREVIOUS PLANS CHANGE TUBING CHANGE TUBING PLUG AND ABANDON CHANGE WELL STATUS PRODUCTION (START/RESUME) COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE CONVERT WELL TYPE DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume of the property	imes, etc.					
XTO Energy. hereby requests a one year extension of the state permit for the referenced well. This is the second extension that has been requested. Approved by the Utah Division of Oil, Gas and Mining						
Date: 10-02-97 By: 10-3-07 RM						
NAME (PLEASE PRINT) Marnie Griffin TITLE Agent for XTO	Energy					
SIGNATURE DATE 9/7/2007						

(This space for State use only)

RECEIVED

SEP 1 0 2007

DIV. OF OIL, GAS & MINING (See Instructions on Reverse Side)

Application for Permit to Drill Request for Permit Extension

Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 430473719 Well Name: KC 9-33E Location: Sec. 33, 10S-19E 1,940 FSL 850' FEL Company Permit Issued to: XTO Energy Date Original Permit Issued: 9/29/2005
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.
Following is a checklist of some items related to the application, which should be verified.
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No ☑
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□ No ☑
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑
Has the approved source of water for drilling changed? Yes□No☑
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑
ls bonding still in place, which covers this proposed well? Yes ☑ No ☐
9/7/2007
Title: Agent
Representing: XTO Energy
RECEIVED
SEP 1 0 2007

DIV. OF OIL, GAS & MINING

Division of Oil, Gas and Mining

COMMENTS:

OPERATOR CHANGE WORKSHEET

ROUTING 1. DJJ 2. CDW

X - Change of Operator (Well Sold)	Operator Name Change/Merger	
The operator of the well(s) listed below has changed, effective:	7/1/2007	_
TROM: (Old Operator): [1095-Dominion Exploration & Production, Inc 14000 Quail Springs Parkway, Suite 600 Oklahoma City, OK 73134	TO: (New Operator): N2615-XTO Energy Inc 810 Houston St Fort Worth, TX 76102	
hone: 1 (405) 749-1300	Phone: 1 (817) 870-2800	

	CA No.			Unit:				
WELL NAME	SEC	TWN	RNG	API NO	ENTITY	LEASE TYPE	WELL	WELL
					NO		TYPE	STATUS
SEE ATTACHED LIST								

WELL NAME	SEC	TWN	RNG	API NO		LEASE TYPE		WELL
SEE ATTACHED LIST					NO		TYPE	STATUS
	L				<u>!</u>			l
OPERATOR CHANGES DOCUMENT	ATI	ON						
Enter date after each listed item is completed								
1. (R649-8-10) Sundry or legal documentation wa	is rec	eived fi	rom the	FORMER ope	erator on:	8/6/2007		
2. (R649-8-10) Sundry or legal documentation wa				_		8/6/2007		
3. The new company was checked on the Depart				-				8/6/2007
4a. Is the new operator registered in the State of U				Business Numb	-	5655506-0143		<u> </u>
4b. If NO, the operator was contacted contacted of				•	•			
5a. (R649-9-2)Waste Management Plan has been re		d on:		IN PLACE				
5b. Inspections of LA PA state/fee well sites comp				n/a	-			
5c. Reports current for Production/Disposition & S				ok	-			
6. Federal and Indian Lease Wells: The BL			- RIA 1		mercer no	ma changa		
or operator change for all wells listed on Federa					BLM	υ,	BIA	
7. Federal and Indian Units:	ui Oi i	.iidiaii i	cases o	41.	DLW		DIA	•
The BLM or BIA has approved the successor	ofur	nit oner	ator for	wells listed on:				
8. Federal and Indian Communization Ag		_			•			
The BLM or BIA has approved the operator:								
9. Underground Injection Control ("UIC"					oved UIC Fo	orm 5, Transfer	of Autho	rity to
Inject, for the enhanced/secondary recovery un	•					•		•
DATA ENTRY:	r	J		.	-(-)	•		ı
1. Changes entered in the Oil and Gas Database	on:			9/27/2007				
2. Changes have been entered on the Monthly Or		or Cha	nge Sp		•	9/27/2007		
3. Bond information entered in RBDMS on:			•	9/27/2007	•			
4. Fee/State wells attached to bond in RBDMS on	: :			9/27/2007	•			
5. Injection Projects to new operator in RBDMS of	on:			9/27/2007	•			
6. Receipt of Acceptance of Drilling Procedures f	or AF	D/Nev	v on:		9/27/2007			
BOND VERIFICATION:								
1. Federal well(s) covered by Bond Number:				UTB000138				
2. Indian well(s) covered by Bond Number:				n/a	•			
3a. (R649-3-1) The NEW operator of any state/fe	e wel	l(s) list	ed cove	ered by Bond Nu	umber	104312762		
3b. The FORMER operator has requested a releas				•	1/23/2008			
The Division sent response by letter on:		•						
LEASE INTEREST OWNER NOTIFIC	ATI	ON:						
4. (R649-2-10) The NEW operator of the fee wells			ntacted	and informed b	y a letter fro	om the Division		
of their responsibility to notify all interest owne								

STATE OF UTAH

		٠,
		FORM 9
	5. LEASE DESIGNATION AND SERIAL NU	JMBER:
	6. IF INDIAN, ALLOTTEE OR TRIBE NAMI	Ξ:
or to	7. UNIT or CA AGREEMENT NAME:	
	8. WELL NAME and NUMBER:	
	SEE ATTACHED	
	9. API NUMBER:	
	SEE ATTACHED 10. FIELD AND POOL, OR WILDCAT:	
0	Natural Buttes	
	соинту: Uintah	
	STATE: UTAH	
EPO	RT, OR OTHER DATA	
	REPERFORATE CURRENT FORM	MATION
	SIDETRACK TO REPAIR WELL	
	TEMPORARILY ABANDON	
	TUBING REPAIR	
	VENT OR FLARE	
	WATER DISPOSAL	
	WATER SHUT-OFF	
TION	OTHER:	
ATION		
volume	es, etc.	
ment	from:	
	list and is responsible	
	lands. Bond coverage	
urces	Bond #104312762.	

ī	5. LEASE DESIGNATION AND SERIAL NUMBER:			
SUNDRY	NOTICES AND REPORTS	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for proposals to drill no	ew wells, significantly deepen existing wells below curn terals. Use APPLICATION FOR PERMIT TO DRILL fo	rent bottom-hole depth, reenter plugged wells, or to orm for such proposals.	7. UNIT or CA AGREEMENT NAME:	
TYPE OF WELL OIL WELL	GAS WELL OTHER		8. WELL NAME and NUMBER:	
2. NAME OF OPERATOR:			SEE ATTACHED 9. API NUMBER:	
XTO Energy Inc.	N2615		SEE ATTACHED	
3. ADDRESS OF OPERATOR: 810 Ho	ouston Street	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:	
4. LOCATION OF WELL	Fort Worth STATE TX ZIP	76102 I (817) 870-2800	Natural Buttes	
FOOTAGES AT SURFACE: SEE A	TTACHED		соилту: Uintah	
QTR/QTR, SECTION, TOWNSHIP, RAN	GE, MERIDIAN:		STATE: UTAH	
11. CHECK APPF	ROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE, REPO	ORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
✓ NOTICE OF INTENT	ACIDIZE	DEEPEN	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate)	ALTER CASING	FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start:	CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON	
	CHANGE TO PREVIOUS PLANS	✓ OPERATOR CHANGE	TUBING REPAIR	
C OURSEQUENT REPORT	CHANGE TUBING	PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME	PLUG BACK	WATER DISPOSAL	
Date of work completion:	CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF	
	COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE	OTHER:	
	CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION		
	DMPLETED OPERATIONS. Clearly show all p			
Effective July 1, 2007,	XTO Energy Inc. has purchased t	the wells listed on the attachmer	ıt from:	
Dominion Exploration &	Production, Inc. 11/10	_		
14000 Quail Springs Pa	arkway, Suite 600 📈 / 07.	3		
Oklahoma City, OK 731	134			
bustab	etantes	0 12 1		
James D. Abercrombie	(405) 749	7-/300		
	neral Manager - Western Busines			
Diagon ha advised that	VIO Franciska da	- h - 4h	d Pakanad Sanasanan 1941.	
	: XTO Energy Inc. is considered to anditions of the lease for the oper			
	ide BLM Bond #104312750 and I			
NAME (PLEASE PRINT) Edwin S. F	Rvan, Jr.	тпце Sr. Vice Preside	nt - Land Administration	
SIGNATURE ECLURICA	& Lymith	DATE 7/31/2007		
		1,001,000		
(This space for State use only)	0 - 1 - 2		RECEIVED	

APPROVED 9 121107 Earlene Russell

Division of Oil, Gas and Mining Earlene Russell, Engineering Technician

(5/2000)

(See Instructions on Reverse Side)

AUG 0 6 2007

DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Request to Transfer Application or Permit to Drill

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

SEE ATTACHED LIST

Well name:
API number:

(3/2004)

Loca	ation:	Qtr-Qtr:	Section:	Township [*]	Range						
Com	pany that filed original application:	DOMINION E	&P								
Date	original permit was issued:										
Com	pany that permit was issued to:	DOMINION E	E&P								
Check		Desi	red Action:								
one											
	Transfer pending (unapproved) App			ew operator							
	The undersigned as owner with legal resubmitted in the pending Application from owner of the application accepts and a	or Permit to Drill	l. remains valid aı	nd does not require re	evision. The new	/					
1	Transfer approved Application for F	ermit to Drill t	o new operator								
	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.										
Follo	owing is a checklist of some items re	lated to the app	olication, which	should be verified.	Ye	es	No				
If loc	cated on private land, has the ownership	changed?					✓				
	If so, has the surface agreement been	updated?				ŀ					
Have	e any wells been drilled in the vicinity of irements for this location?	the proposed w	ell which would a	ffect the spacing or s	iting		✓				
Have	e there been any unit or other agreemer osed well?	its put in place t	hat could affect th	ne permitting or opera	ation of this		✓				
Have	e there been any changes to the access osed location?	route including	ownership or righ	t-of-way, which could	affect the		✓				
Has	the approved source of water for drilling	changed?					✓				
Have	e there been any physical changes to the s from what was discussed at the onsite	e surface location evaluation?	on or access route	e which will require a	change in		✓				
	onding still in place, which covers this pr		ond No. 104312	762	✓	/					
Any	desired or necessary changes to either ald be filed on a Sundry Notice, Form 9, essary supporting information as require	a pending or ap or amended Ap	proved Application	n for Permit to Drill th	nat is being transf appropriate, with	ferr	ed,				
	ne (please print) HOLLY C. PERKINS	<u></u>		TORY COMPLIANCE	TECH						
	lature 450 My (, / ENER	CV INC	Date <u>08/27/20</u>	U/	*						
	resenting (company name) XTO ENER			E							
	person signing this form must have legal authority it to Drill.	to represent the con	mpany or individual(s)		erator on the Applicat	tion	for				

AUG 3 0 2007

N1095 DOMINION E and P, INC. to N2615 XTO ENERGY, INC.

api	well name	qtr_qtr	sec	twp	rng	lease num	entity	Lease	well	stat
4303930028	SKYLINE U 14-28	SESW	28	140S	060E	UTU-77262		Federal	GW	APD
4303930029	SKYLINE U 8-7	SENE	07	150S	060E	UTU-78415		Federal	GW	APD
4304737195	KC 6-33E	SENW	33	100S	190E	UTU-49522		Federal	ow	APD
4304737196	KC 9-33E	NESE	33	100S	190E	UTU-49522		Federal	OW	APD
4304737197	KC 11-33E	NESW	33	100S	190E	UTU-49522		Federal	OW	APD
4304738075	LCU 7-9H	NWSE	09	110S	200E	UTU-76265		Federal	GW	APD
4304738689	RBU 15-8E	NENE	17	100S	190E	U-013766		Federal	GW	APD
4304738783	KC 14-33E	SESW	33	100S	190E	UTU-49522		Federal	GW	APD
4304738868	LOVE 12-20G	NWSW	20	110S	210E	UTU-076040		Federal	GW	APD
4304738889	KC 9-31E	NESE	31	100S	190E	UTU-81719		Federal	GW	APD
4304738890	KC 13-31E	SWSW	31	100S	190E	UTU-81719		Federal	GW	APD
4304738891	KC 12-33E	NWSW	33	100S	190E	UTU-49522		Federal	GW	APD
4304738948	KC 14-31E	SESW	31	100S	190E	UTU-081719		Federal	GW	APD
4304738949	KC 3-33E	NENW	33	100S	190E	UTU-49522		Federal	GW	APD
4304739051	KC 15-31E	SWSE	31	100S	190E	UTU-81719		Federal	GW	APD
4304739068	KC 7-33E	SWNE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739069	KC 13-33E	SWSW	33	100S	190E	UTU-49522		Federal	GW	APD
4304739070	KC 15-33E	SWSE	33	100S	190E	UTU-49522		Federal	GW	APD
4304739415	WHB 4-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739416	WHB 12-5H	NWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739417	WHB 13-5H	SWSW	05	110S	200E	UTU-39223		Federal	GW	APD
4304739440	WHB 4-8H	NWNW	08	110S	200E	UTU-39223		Federal	GW	APD
4304739441	WHB 5-5H	NWNW	05	110S	200E	UTU-39223		Federal	GW	APD
4304738262	KINGS CYN 9-32E	NESE	32	100S	190E	ML-047059		State	GW	APD
4304738342	LCU 12-12H	NWSW	12	110S	200E	FEE		Fee	GW	APD
4304738378	KINGS CYN 11-32E	NESW	32	100S	190E	ML-047059		State	GW	APD
4304738690	KINGS CYN 11-36D	NESW	36			ML-47058	1	State	GW	NEW
4304738779	KC 5-36D	SWNW	36	100S	180E	ML-47058		State	GW	APD
4304738781	KC 6-32E	SENW	32	100S	190E	ML-47059		State	GW	APD
4304738782	KC 15-32E	NWSE	32	100S	190E	ML-047059		State	GW	APD
4304738786	AP 11-2J	NESW	02	110S	190E	ML-36213		State	GW	APD
4304738787	AP 13-2J	SWSW	02	110S		ML-36213		State	GW	APD
4304738950	KC 13-32E	SESW	32	100S	1	ML-047059		State	GW	APD
4304739218	KC 14-32E	SESW	32			ML-047059		State	GW	APD
4304739219	KC 16-32E	SESE	32			ML-047059		State	GW	APD
4304739222	LCU 14-12H	SESW	12		200E			Fee	GW	APD
4304739315	AP 12-2J	NWSW	02	110S	190E	ML-36213		State	GW	NEW

09/27/2007

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OUR GAS AND MINING

Initials:_

	DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522
SUNDRY	NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: N/A
Do not use this form for proposals to drill ne	w wells, significantly deepen existing wells below current bottom-hole depth, reenter pluggerals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME: Undesignated
1. TYPE OF WELL OIL WELL		8. WELL NAME and NUMBER: KC 9-33E
2. NAME OF OPERATOR: XTO Energy, Inc.		9. API NUMBER: 4304737196
3. ADDRESS OF OPERATOR: P.O. Box 1360	Roosevelt STATE UT ZIP 84066 PHONE NUMBER (435) 72	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1,940'	FSL & 850' FEL	COUNTY: Uintah
QTRIQTR, SECTION, TOWNSHIP, RANG	GE, MERIDIAN: 33 10S 19E S	STATE: UTAH
11. CHECK APPR	COPRIATE BOXES TO INDICATE NATURE OF NOTI	CE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION	TYPE OF AC	
	ACIDIZE DEEPEN	REPERFORATE CURRENT FORMATION
NOTICE OF INTENT (Submit in Duplicate)	ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start:	CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
•	CHANGE TO PREVIOUS PLANS DPERATOR CHANGE	TUBING REPAIR
	CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE
SUBSEQUENT REPORT (Submit Original Form Only)	CHANGE WELL NAME PLUG BACK	WATER DISPOSAL
Date of work completion:	CHANGE WELL STATUS PRODUCTION (START/RE	SUMÉ) WATER SHUT-OFF
District Confession in	COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL	SITE OTHER: Permit Extension
	CONVERT WELL TYPE RECOMPLETE - DIFFERE	NT FORMATION
XTO Energy, Inc. hereby r	equests a one year extension of the state permit for th	e referenced well.
	Úta	roved by the h Division of las and Mining
NAME (PLEASE PRINT), Kendell Jo	ohnson Title Agent	t for XTO Energy, Inc.
SIGNATURE CONTRACTOR	ll folkon DATE 9/22/	2008
(This space for State use only)		OCT 2 7 2008
(5/2000) COPY S	ENT TO OPERATOR (See Instructions on Reverse Side)	
	10.30.2008	DIV OF OIL, GAS & MINING



4304737196

API:

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

Well Name: KC 9-33E Location: 1,940' FSL & 850' FEL Sec. 33, 10S-19E Company Permit Issued to: XTO Energy, Inc. Date Original Permit Issued: 9/29/2005	
The undersigned as owner with legal rights to drill or above, hereby verifies that the information as submit approved application to drill, remains valid and does	tted in the previously
Following is a checklist of some items related to the verified.	application, which should be
If located on private land, has the ownership change agreement been updated? Yes⊡No☑	ed, if so, has the surface
Have any wells been drilled in the vicinity of the properthe spacing or siting requirements for this location?	
Has there been any unit or other agreements put in permitting or operation of this proposed well? Yes□	<u>-</u>
Have there been any changes to the access route in of-way, which could affect the proposed location? Ye	• • • •
Has the approved source of water for drilling change	ed? Yes⊟No⊠
Have there been any physical changes to the surfact which will require a change in plans from what was devaluation? Yes⊡No⊠	
Is bonding still in place, which covers this proposed	well? Yes⊠No□
Kerdell Chrison	9/22/2008
Signature ()	Date
Title: Kendell Johnson	
Representing: XTO Energy, Inc.	

FORM APPROVED Form 3160-3 OMB No. 1004-0137 Expires July 31, 2010 (August 2007) UNITED STATES 5. Lease Serial No. DEPARTMENT OF THE INTERIOR UTU-49522 BUREAU OF LAND MANAGEMENT 6. If Indian, Allotee or Tribe Name APPLICATION FOR PERMIT TO DRILL OR REENTER N/A 7. If Unit or CA Agreement, Name and No. DRILL REENTER la. Type of work: 8. Lease Name and Well No. Oil Well Gas Well Other Single Zone | Multiple Zone KC 9-33E lb. Type of Well: Name of Operator 9. API Well No. 43-047-37196 XTO Energy, Inc. 3b. Phone No. (include area code) 10. Field and Pool, or Exploratory 3a. Address PO Box 1360; 978 North Crescent Road 435-722-4521 Roosevelt, UT 84066 Natural Buttes 11. Sec., T. R. M. or Blk. and Survey or Area 4. Location of Well (Report location clearly and in accordance with any State requirements.*) At surface 1,940' FSL & 850' FEL, NE/4 SE/4, Section 33, T10S, R19E, SLB&M At proposed prod. zone 12. County or Parish 13. State 14. Distance in miles and direction from nearest town or post office* UT Uintah 14.00 miles southwest of Ouray, Utah 17. Spacing Unit dedicated to this well Distance from proposed* 16. No. of acres in lease location to nearest 850 property or lease line, ft. (Also to nearest drig. unit line, if any) 560 40 acres 20. BLM/BIA Bond No. on file 18. Distance from proposed location* 19. Proposed Depth to nearest well, drilling, completed, UTB-000138 2,200' applied for, on this lease, ft. 9.500 22. Approximate date work will start* 23. Estimated duration 21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5,334' 06/15/2009 14 days Attachments The following, completed in accordance with the requirements of Onshore Oil and Gas-Order No.1, must be attached to this form: 1. Well plat certified by a registered surveyor. Item 20 above).

- 2. A Drilling Plan.
- 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO must be filed with the appropriate Forest Service Office).
- 4. Bond to cover the operations unless covered by an existing bond on file (see
- 5. Operator certification
- Such other site specific information and/or plans as may be required by the

25. Signature	Hamilton	Name (Printed/Typed) Don Hamilton	Date 09/26/2005
Title			
Agent for XTO Energy, Inc.			
Approved by (Signature)		Name (Printed/Typed)	Date
Title		Office	
A unlication approval door not vyangant on	gartify that the applicant hal	de local or acuitable title to those rights in the expise	tlassambioh world antitle the annicant to

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on page 2)

*(Instructions on page 2)


RECEIVED MAR 0 2 2009

DIV. OF OIL, GAS & MINING

Diana:

Attached are some updated Form 3 APD cover pages for your review. These do not need to be processed because they are already permitted but we changed the operator name on them to reflect XTO Energy, Inc. rather than Dominion and thought they may make a good addition to your files.

Don Hamilton



STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9	
		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUND	RY NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e gged wells, or to drill horizontal laterals. Use		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: KC 9-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047371960000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8	7410 505 333-3159 Ext	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1940 FSL 0850 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESE Section: 33	IP, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE [ALTER CASING	☐ CASING REPAIR
Approximate date work will start: 10/30/2010	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
	☐ CHANGE WELL STATUS ☐ DEEPEN [COMMINGLE PRODUCING FORMATIONS FRACTURE TREAT	☐ CONVERT WELL TYPE ☐ NEW CONSTRUCTION
SUBSEQUENT REPORT Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Date.	☐ WILDCAT WELL DETERMINATION	OTHER	OTHER:
	OMPLETED OPERATIONS. Clearly show all pertinests a one year extension on the		olumes, etc.
Aro hereby reque	referenced well.	e otate i cirille for the	Approved by the
			Utah Division of
			Oil, Gas and Mining
		D	ate: October 26, 2009
		В	y: Laggill
			73
NAME (PLEASE PRINT)	PHONE NUMBER	TITLE	
Eden Fine	505 333-3664	Permitting Clerk	
SIGNATURE N/A		DATE 10/22/2009	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not requ

require revi	sion. Following is a ch	ecklist of some	tems related to th	e application, v	hich should be verified.
	ated on private land, h ed? 📗 Yes 🌘 No	as the ownershi	p changed, if so, h	as the surface	agreement been
	any wells been drilled requirements for this			ll which would	affect the spacing or
	nere been any unit or one of the proposed well?		ts put in place that	could affect th	e permitting or operation
	there been any change the proposed location		route including ow No	vnership, or rig	ntof- way, which could
• Has tl	ne approved source of	water for drillin	g changed? 🔘 Y	res 📵 No	
	there been any physic je in plans from what				
• Is boı	nding still in place, wh	ich covers this p	roposed well? 🌘	Yes 📗 No	Approved by the Utah Division of I, Gas and Mining
Signature:	Eden Fine	Date: 10/22/2	2009		
Title:	Permitting Clerk Repre	senting: XTO EN	ERGY INC		October 26, 2009
		_		Þ	00 160 00

	STATE OF UTAH		FORM 9
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUND	RY NOTICES AND REPORTS O	ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deepen e ugged wells, or to drill horizontal laterals. Uso		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: KC 9-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047371960000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8		NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1940 FSL 0850 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESE Section: 33	IP, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian: S		STATE: UTAH
11. CHE	CK APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPORT,	OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS	CHANGE TUBING	☐ CHANGE WELL NAME
9/28/2011	☐ CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	☐ CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	☐ DEEPEN [FRACTURE TREAT	☐ NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	☐ PLUG BACK
	☐ PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	☐ TEMPORARY ABANDON
	☐ TUBING REPAIR	VENT OR FLARE	☐ WATER DISPOSAL
DRILLING REPORT Report Date:	☐ WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
Report Bate.	☐ WILDCAT WELL DETERMINATION [OTHER	OTHER:
	DMPLETED OPERATIONS. Clearly show all perting		olumes, etc.
XIO nereby reques	its a one (1) year extension on referenced well.	the State Permit for the	Approved by the
	referenced well.		Utah Division of
			Oil, Gas and Mining
		_	G (1 20 2010
		ט	ate: September 29, 2010
		В	v: Dally gill
NAME (PLEASE PRINT) Kelly Small	PHONE NUMBER 505 333-3145	TITLE Sr. Permitting Tech	
SIGNATURE		DATE 9/28/2010	
I IV/A		■ 9/78/7UIU	



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

u C . C V	Sioini i onowing is a v	meening of some items related to the	application, trillen biloara be terrical
	ated on private land, ed? 🔵 Yes 🌘 No	has the ownership changed, if so, ha	s the surface agreement been
		ed in the vicinity of the proposed well is location? (Yes (No	which would affect the spacing or
	nere been any unit o s proposed well?		could affect the permitting or operation
	there been any chan the proposed locati	ges to the access route including own on? (Yes (No	nership, or rightof- way, which could
• Has th	ne approved source	of water for drilling changed? 🔘 Ye	es 📵 No
		ical changes to the surface location o t was discussed at the onsite evaluat	
• Is bor	nding still in place, w	which covers this proposed well?	Approved by the Yes No Utah Division of Oil, Gas and Mining
nature:	Kelly Small	Date: 9/28/2010	
	•	epresenting: XTO ENERGY INC	Date: September 29, 2010
			- Locallo

Sig

Sundry Number: 18431 API Well Number: 43047371960000

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURC	rec .			FORM 9
DIVISION OF OIL, GAS, AND MINING			5.LEAS UTU-4	E DESIGNATION AND SERIAL NUMBER: 9522	
	RY NOTICES AND REPORTS			6. IF II	NDIAN, ALLOTTEE OR TRIBE NAME:
	sals to drill new wells, significantly deeper igged wells, or to drill horizontal laterals.			7.UNIT	or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well				8. WEL KC 9-	L NAME and NUMBER: 33E
2. NAME OF OPERATOR: XTO ENERGY INC					NUMBER: 7371960000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM, 8			UMBER:		D and POOL or WILDCAT: RAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1940 FSL 0850 FEL				COUNT	
QTR/QTR, SECTION, TOWNSHI Qtr/Qtr: NESE Section: 33	P, RANGE, MERIDIAN: Township: 10.0S Range: 19.0E Meridian:	S		STATE: UTAH	
11. CHE	CK APPROPRIATE BOXES TO INDICA	TE NA	ATURE OF NOTICE, REPORT	, OR OT	HER DATA
TYPE OF SUBMISSION			TYPE OF ACTION		
_	☐ ACIDIZE		ALTER CASING		CASING REPAIR
NOTICE OF INTENT Approximate date work will start:	☐ CHANGE TO PREVIOUS PLANS		CHANGE TUBING		CHANGE WELL NAME
9/12/2012	☐ CHANGE WELL STATUS		COMMINGLE PRODUCING FORMATIONS		CONVERT WELL TYPE
SUBSEQUENT REPORT	DEEPEN	□ F	FRACTURE TREAT		NEW CONSTRUCTION
Date of Work Completion:	OPERATOR CHANGE	□ F	PLUG AND ABANDON		PLUG BACK
_	PRODUCTION START OR RESUME	□ F	RECLAMATION OF WELL SITE		RECOMPLETE DIFFERENT FORMATION
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	□ s	SIDETRACK TO REPAIR WELL		TEMPORARY ABANDON
	☐ TUBING REPAIR		VENT OR FLARE		WATER DISPOSAL
☐ DRILLING REPORT	☐ WATER SHUTOFF	□ s	SI TA STATUS EXTENSION	1	APD EXTENSION
Report Date:	☐ WILDCAT WELL DETERMINATION		OTHER	ОТН	IER:
	MPLETED OPERATIONS. Clearly show all pe equests a one (1) year extens referenced well.		of the State APD for th	ne ,	Approved by the Utah Division of I, Gas and Mining 09/14/2011
NAME (PLEASE PRINT) Krista Wilson	PHONE NUMBER 505 333-3647	1	TITLE Permitting Tech		
SIGNATURE N/A		\neg	DATE 9/12/2011		

Sundry Number: 18431 API Well Number: 43047371960000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC

Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

 If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 🌘 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Krista Wilson **Date:** 9/12/2011

Title: Permitting Tech Representing: XTO ENERGY INC

Sundry Number: 29860 API Well Number: 43047371960000

STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUNDR	Y NOTICES AND REPORTS OF	N WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
	posals to drill new wells, significantly de reenter plugged wells, or to drill horizonta n for such proposals.		7.UNIT or CA AGREEMENT NAME:
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: KC 9-33E
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047371960000
3. ADDRESS OF OPERATOR: 382 Road 3100 , Aztec, NM		HONE NUMBER: Ext	9. FIELD and POOL or WILDCAT: NATURAL BUTTES
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1940 FSL 0850 FEL			COUNTY: UINTAH
QTR/QTR, SECTION, TOWNSH	IIP, RANGE, MERIDIAN: 3 Township: 10.0S Range: 19.0E Meridian	: S	STATE: UTAH
11. CHECH	K APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, REPOR	RT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR
Approximate date work will start: 7/31/2013	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME
770172010	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION
	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION
	WILDCAT WELL DETERMINATION	OTHER	OTHER:
	ts a one (1) year extension of referenced well.		lepths, volumes, etc. Approved by the Utah Division of Oil, Gas and Mining
			Date: September 13, 2012
			By: Basquill
			7 7
NAME (PLEASE PRINT) Richard L. Redus	PHONE NUMBER 303 397-3712	TITLE Regulatory	
SIGNATURE N/A		DATE 9/11/2012	

Sundry Number: 29860 API Well Number: 43047371960000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? (Yes (No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No
nature: Richard I Redus Date: 9/11/2012

Signature: Richard L. Redus Date: 9/11/2012
Title: Regulatory Representing: XTO ENERGY INC

Sundry Number: 42511 API Well Number: 43047371960000

	STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522		
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
	oposals to drill new wells, significantly reenter plugged wells, or to drill horizon for such proposals.		7.UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL Oil Well			8. WELL NAME and NUMBER: KC 9-33E		
2. NAME OF OPERATOR: XTO ENERGY INC			9. API NUMBER: 43047371960000		
3. ADDRESS OF OPERATOR: PO Box 6501, Englewood,	CO. 80155 303 397-3	PHONE NUMBER:	9. FIELD and POOL or WILDCAT: NATURAL BUTTES		
4. LOCATION OF WELL FOOTAGES AT SURFACE:			COUNTY: UINTAH		
1940 FSL 0850 FEL QTR/QTR, SECTION, TOWNSI Qtr/Qtr: NESE Section: 3	HIP, RANGE, MERIDIAN: 3 Township: 10.0S Range: 19.0E Merid	ian: S	STATE: UTAH		
11.	K APPROPRIATE BOXES TO INDICAT				
CITEC	RAFFROFRIATE BOXES TO INDICA	TE NATURE OF NOTICE, REPOR	CI, OR OTHER DATA		
TYPE OF SUBMISSION		TYPE OF ACTION			
✓ NOTICE OF INTENT	ACIDIZE	ALTER CASING	CASING REPAIR		
Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME		
6/14/2014	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE		
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION		
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK		
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION		
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON		
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL		
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION		
Report Date:	WILDCAT WELL DETERMINATION	OTHER	OTHER:		
12 DESCRIPE PROPOSED OF		all portinent details including dates	dontho volumes etc		
I .	completed operations. Clearly show a sts a one (1) year extension o		Approved by the		
The Ellergy reques	referenced well.	or the State At B for the	Utah Division of		
			Oil, Gas and Mining		
			Date: September 17, 2013		
			J. 102 cul DO		
			By:		
NAME (PLEASE PRINT) Sephra Baca	PHONE NUMB 719 845-2103	ER TITLE Regulatory Analyst			
SIGNATURE N/A		DATE 9/11/2013			
'''/^		3/11/2013			

Sundry Number: 42511 API Well Number: 43047371960000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
 Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
 Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? 🔘 Yes 📵 No
 Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? 📵 Yes 💭 No

Signature: Sephra Baca Date: 9/11/2013
Title: Regulatory Analyst Representing: XTO ENERGY INC

Sundry Number: 52698 API Well Number: 43047371960000

	FORM 9			
STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-49522	
SUNDRY NOTICES AND REPORTS ON WELLS			6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
Do not use this form for procurrent bottom-hole depth, FOR PERMIT TO DRILL form	7.UNIT or CA AGREEMENT NAME:			
1. TYPE OF WELL Oil Well	8. WELL NAME and NUMBER: KC 9-33E			
2. NAME OF OPERATOR: XTO ENERGY INC	9. API NUMBER: 43047371960000			
3. ADDRESS OF OPERATOR: PHONE NUMBER: 90 Box 6501 , Englewood, CO, 80155 303 397-3727 Ext			9. FIELD and POOL or WILDCAT: NATURAL BUTTES	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1940 FSL 0850 FEL			COUNTY: UINTAH	
QTR/QTR, SECTION, TOWNSH Qtr/Qtr: NESE Section: 3	STATE: UTAH			
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA				
TYPE OF SUBMISSION	TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
7/14/2015	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT	DEEPEN	FRACTURE TREAT	☐ NEW CONSTRUCTION	
Date of Work Completion:	OPERATOR CHANGE	PLUG AND ABANDON	PLUG BACK	
	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
SPUD REPORT Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT	WATER SHUTOFF	SI TA STATUS EXTENSION	✓ APD EXTENSION	
Report Date:		STA STATUS EXTENSION		
	WILDCAT WELL DETERMINATION	□ OTHER	OTHER:	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. XTO Energy requests a one (1) year extension of the State APD for the referenced well. Approved by the Utah Division of Oil, Gas and Mining July 01, 2014 Date: By:				
NAME (PLEASE PRINT) Malia Villers	PHONE NUM 303 397-3670	BER TITLE Lead Permitting Analyst		
SIGNATURE N/A		DATE 6/30/2014		

Sundry Number: 52698 API Well Number: 43047371960000



The Utah Division of Oil, Gas, and Mining

- State of Utah
- Department of Natural Resources

Electronic Permitting System - Sundry Notices

Request for Permit Extension Validation Well Number 43047371960000

API: 43047371960000

Well Name: KC 9-33E

Location: 1940 FSL 0850 FEL QTR NESE SEC 33 TWNP 100S RNG 190E MER S

Company Permit Issued to: XTO ENERGY INC Date Original Permit Issued: 9/29/2005

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision. Following is a checklist of some items related to the application, which should be verified.

• If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes No
 Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes No
• Has there been any unit or other agreements put in place that could affect the permitting or operation of thi proposed well? Yes No
• Have there been any changes to the access route including ownership, or rightof- way, which could affect the proposed location? Yes No
• Has the approved source of water for drilling changed? Yes No
• Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes No
• Is bonding still in place, which covers this proposed well? Yes No

Signature: Malia Villers Date: 6/30/2014

Title: Lead Permitting Analyst Representing: XTO ENERGY INC



State of Utah DEPARTMENT OF NATURAL RESOURCES

MICHAEL R. STYLER
Executive Director

Division of Oil, Gas and Mining JOHN R. BAZA

Division Director

October 1, 2015

Malia Villers XTO Energy Inc. 9127 South Jamaica St. Englewood, CO 80112

Re: APDs Rescinded for XTO Energy Inc., Uintah County

Dear Ms. Villers:

Enclosed find the list of APDs that you asked to be rescinded. No drilling activity at these locations has been reported to the division. Therefore, approval to drill these wells is hereby rescinded effective September 30, 2015.

A new APD must be filed with this office for approval <u>prior</u> to the commencement of any future work on the subject location.

If any previously unreported operations have been performed on this well location, it is imperative that you notify the Division immediately.

Sincerely,

Diana Mason

Environmental Scientist

cc: Well File

Bureau of Land Management, Vernal



LCU 2-17H	43-047-37059
HCU 15-29F	43-047-35938
Big Pack U 9-28H	43-047-53113
KC 6-33E	43-047-37195
KC 9-33E	43-047-37196
KC 11-33E	43-047-37197